## Index to Volume 23, 1986

Acetate, plasma, measurement by manual or automated technique, in diabetic and non-diabetic subjects 285

N-Acetyl-β-D-glucosaminidase (NAG) urinary level, effects of age and urine concentration 297 effect of hydropenia and oral water loading, man

enzymuria, in leukaemia and myelomatosis, effect of treatment 676

Acetylcholinesterase, erythrocyte activity, effect of ethanol 458

measurement by differential pH technique 538

ADDISON GM see KRSKA J et al.

Adenine phosphoribosyltransferase deficiency, simple screening method using dried blood spots on filter paper 529

Adrenal steroidogenesis, assessment of *in vitro* biopotency and site(s) of action of drugs affecting: Ames Award, Winning Lecture 1985 225

Agarose, flat bed isoelectric focusing in, and chemical precipitation, in identification of apolipoprotein E isoforms 509

AIDS samples, safe handling, effect on biochemical values of heat treatment of plasma 102

ALBERTI KGMM see MARSHALL SM and ALBERTI KGMM
PETRANYI G et al. \*

Aldosterone radioimmunoassay evaluation, reninangiotensin-aldosterone axis as function of sex and age 65

Alkaline phosphatase

and cholestasis: review article 405

plasma, activity, relation to rickets, pre-term infants 652

Alkaptonurics, urine from, artifacts produced by homogentisic acid in examination: technical note 354

ALLEN MC see HAND CW et al.

Alpha-1-antichymotrypsin, measurement by immunoturbidimetry 206

Alpha-fetoprotein determination in screening for fetal neural tube defects, enzyme-linked immunosorbent and radioimmunoassay compared 334

Aluminium in human tissues, determination by flameless atomic absorption spectroscopy and comparison of reference values 97

Ames Award winning lecture 1985: On the assessment of the *in vitro* biopotency and site(s) of action of drugs affecting adrenal steroidogenesis 225

Aminoglutethimide and danazol in breast cancer treatment, antagonism between, biochemical basis 277

Δ-Aminolaevulinic acid dehydratase as index of presence and severity of lead poisoning in lead exposure 521

Amylase, plasma, activity, measurement: review article 624

Analysers, automatic, computing aspects, evaluation 585

Analysis time, effects on cost of out-of-hours investigations 501 ANDERSON SH and NICOL AD: A fluorimetric method for measurement of erythrocyte transketolase activity 180

Androgen disorders, testosterone measurement in investigation: review article 113

Antiepileptic drugs, separation by high-performance liquid chromatography, mobile phase optimisation 559

Apo-aspartate transaminase, pig heart, as direct assay for pyridoxal 5'-phosphate 317

Apolipoprotein E isoforms, identification employing chemical precipitation and flat bed isoelectric focusing in agarose 509

ARCOCHA V see RODRIGUEZ-SEGADE S et al.

Arterial blood samplers, new, three, evaluation 329
ASHBY D see BROUGHTON PMG et al.

ASHBY JP, WRIGHT DJ and RINSLER MG: The adjusted serum calcium concept—a reappraisal 533

ASTLEY P see ISMAIL AAA et al.
ATKINSON P: Phadebas B2 micro test: correspondence

ATKINSON T see PRICE CP et al.

BACON RRA see JEFFCOATE SL et al.

BAILEY JE see INGLE AR et al.

BALDWIN D see BEVAN JS et al. HAND CW et al.

BALDWIN I see ROLLS S et al.

BANDO K, ICHIHARA K, SHIMOTSUJI T, TOYOSHIMA H, KODA K, HAYASHI C and MIYAI K: Reduced serum carnosinase activity in hypothyroidism 190

BARENGHI L, CERIOTTI F, LUZZANA M, RIPAMONTI M, MOSCA A and BONINI PA: Measurement of erythrocyte acetylcholinesterase and plasma cholinesterase activity by a differential pH technique 538

BARLOW RD, THOMPSON SG, CUCKLE HS, WALD NJ and VOLLER A: Comparison of an ELISA with a RIA method for serum alpha-fetoprotein determination in screening for fetal neural tube defects 334 BARNES AJ See MOORE JC et al.

BARON DN: Ideas towards a general theory of clinical biochemistry: Wellcome Lecture 1986 615 see also MIKHAILIDIS DP et al.

BARTON IK, MANSELL MA and HILTON PJ: A simple method for the measurement of red-cell calcium concentration: technical note 610

BEASTALL GH see JEFFCOATE SL et al.

BECKETT G, LAWRENCE C, SCRIVEN A and STRANGE R: Plasma bile salt levels and liver disease: correspondence reply 109

Bence Jones protein detection, rapid immunoblotting technique for routine use on unconcentrated urine

Benzoylecgonine, urine, single-reagent fluoroimmunoassay 37

BERG JD see PRICE S et al.

BERRY J, BETTS P and wood PJ: The interpretation of bloodspot 17α-hydroxyprogesterone levels in term and pre-term neonates 546

BETTS P see BERRY J et al.

BEVAN E see FERNS GAA et al.

BEVAN JS, BALDWIN D and BURKE CW: Sensitive and specific bromocriptine radioimmunoassay with iodine label: measurement of bromocriptine in human plasma 686

Bile salt, plasma levels, and liver disease: correspondence 109

Biochemical data, obtained from two population surveys, long-term trends 474

Biochemical parameters, seasonal variations 310 Biochemistry, clinical see Clinical biochemistry

BLAKESLEY JD, HOWSE CG, SPENCER-PEET J and WOOD DCF: An improved method for measurement of common tricyclic antidepressant drugs and their metabolites using normal phase HPLC 552

Blood

gas analysers, regional quality assessment 26 gas analysis, sampling errors, evaluation of three new arterial blood samplers 329

whole, osmolality 106

Blunder-rate, clinical biochemistry service 470 BOERMA GJM see KOEDAM JC and BOERMA GJM BONINI PA see BARENGHI L et al.

## BOOK REVIEWS:

BECK EA and FURLAN M: Variants of human fibrinogen. Current problems in clinical biochemistry, series 1984 111

BERGMEYER HU editor: Methods of enzymatic analysis. Volume VI. Metabolites 1: Carbohydrates 1984 359

Geigy Scientific Tables, 8th edition. Vol. 1 (1981) Vol. II (1982) Vol. III (1984) 111

GODING JW: Monoclonal antibodies: principles and practice 1984 360

NORMAN AW, SCHAEFER K, GRIGOLEIT H-G and HERRATH DV editors: Vitamin D: Chemical, biochemical and clinical update 613

PEARSE AGE: Histochemistry, theoretical and applied. Volume two. Analytical technology 1985 359

BOUMAN AA, PLATENKAMP AJ and POSMA FD: Determination of cobalt in urine by flameless, atomic absorption spectroscopy. Comparison of direct analysis using Zeeman background correction and indirect analysis using extraction in organic solution 346

Determination of aluminium in human tissues by flameless atomic absorption spectroscopy and comparison of reference values 97

Breast cancer, antagonism between aminoglutethimide and danazol in treatment, biochemical basis 277
BROMBACHER PJ see VAN DIEIJEN-VISSER MP et al.

Bromocriptine radioimmunoassay, sensitive and specific, with iodine label, measurement in human plasma 686

BROUGHTON PMG and BUCKLEY BM: Desirable performance characteristics for cholesterol assays: correspondence reply 357

HOLDER R and ASHBY D: Long-term trends in biochemical data obtained from two population surveys 474

see also CLARK I et al.

BOWN E see MOORE JC et al.

BUCKLEY BM see BROUGHTON PMG and BUCKLEY BM

BULLOCK DG, MOSS DW and WHITEHEAD TP: External quality assessment of serum enzyme activity assays and the effect of calibration on interlaboratory concordance 577

see also WESTWOOD A et al.

Buprenorphine and metabolites with iodine label, human plasma, radioimmunoassay 47

BURKE CW see BEVAN JS et al.

BURNETT D, HENFREY RD, WOODS TF and FYFFE JA:
Regional quality assessment of pH and blood gas
analysers 26

woods TF and JENNINGS RD: Acceptance of values assigned to serum-based calibration materials: review article 157

BURR WA see ISMAIL AAA et al.

BYFIELD PGH see PEARCE CJ and BYFIELD PGH

'C-terminal' PTH assay, performance and clinical utility 434

CA125, ovarian tumour marker, in serum, evaluation of immunoradiometric assay for detection **292** Caffeine plasma levels, monitoring by rapid HPLC **440** 

## Calcium

adjusted serum concept, reappraisal 533 measurement: review article 146

red-cell, concentration, measurement, simple method: technical note 610

## Calibration

effect on interlaboratory concordance, in external quality assessment of serum enzyme activity assays 577

materials, serum-based, acceptance of values: review article 157

calvin J and Price cp: Measurement of serum atantichymotrypsin by immunoturbidimetry **206** see also youens jeb et al.

CAMPBELL RS see PRICE CP et al.

Capillary blood samples, measurement, glycosylated haemoglobin, comparison of five different methods 85

Carnitine concentrations in chronic renal insufficiency, dialysed and undialysed 671

Carnosinase serum, reduced activity in hypothyroidism 190

CAVILL 1, JACOBS A and WORWOOD M: Diagnostic methods for iron status: review article 168

CAWOOD M see ISMAIL AAA et al.

Cerebrospinal fluid, human, proteinase inhibitors, previously unrecognised 104

CERIOTTI F see BARENGHI L et al.

CHAMBERS AM, ELDER J and O'REILLY DSJ: The blunder-rate in a clinical biochemistry service 470 Chlorpromazine in serum, determination by radio-receptor assay and HPLC 340

Cholestasis, and alkaline phosphatase: review article

Cholesterol assays

desirable performance characteristics: correspondence 357

reference materials: correspondence 699

Cholinesterase, plasma, activity, measurement by differential pH technique 538

CHRISTOFIDES JA see FRY DE et al.

Chromatography, affinity, and glycosylated haemoglobin, diabetic and non-diabetic children 425 CHURCH JF see GIDLOW DA et al.

CLARK I, PETERS M and BROUGHTON PMG: Evaluation of the computing aspects of automatic analysers 585

CLAYTON BE see GIDLOW DA et al.

Clinical biochemistry

general theory, ideas towards: Wellcome Lecture 1986 615

service, assays for prolactin, guidelines for provision: review article 638 blunder-rate 470

Clinical enzymology, reference materials, work of Community Bureau of Reference of the European Community: editorial 361

Cobalt, in urine, determination by flameless atomic absorption spectroscopy 346

Cocaine metabolite, benzoylecgonine, urine, singlereagent polarisation fluoroimmunoassay 37

COLBERT DL, SMITH DS, LANDON J and SIDKI AM: Singlereagent polarisation fluoroimmunoassay for the cocaine metabolite, benzoylecgonine, in urine 37 COLINET E. SIEST G and MOSS DW: Reference materials

COLINET E, SIEST G and Moss DW: Reference materials for clinical enzymology: the work of the Community Bureau of Reference of the European Community: editorial 361

COLLINSON PO, STEIN PE and LIGHT PK: Effect on biochemical values of heat treatment of plasma for the safe handling of samples from AIDS patients 102

Community Bureau of Reference of the European Community, and clinical enzymology reference materials: editorial 361

Computing aspects, automatic analysers, evaluation 585

COOK JGH see ROCKS BF et al.

COOKE PR see GOLDIE DJ et al.

COOPER GJS: Plasma bile salt levels and liver disease: correspondence 109

Cotinine (a nicotine metabolite) in urine, singlereagent polarisation fluoroimmunoassay 596

COYLE PM, THORPE GHG, KRICKA LJ and WHITEHEAD TP: Enhanced luminescent quantitation of horseradish peroxidase conjugates: application in an enzyme immunoassay for digoxin 42

Creatine

kinase-MB isoenzyme, enzymometric assay, clinical and analytical validation 463

kinase-MB, value: review article 238

Creatinine

estimation, review article 1

clearance, redundant clinical investigation: review article 243

CRUMP BJ see THURNHAM DI et al.

CUCKLE HS see BARLOW RD et al.

CULLITON MT see SEQUEIRA SJ et al.

CUNNINGHAM C see JACK L et al.

CUNNINGHAM S see SEQUEIRA SJ et al.

Danazol and aminoglutethimide in treatment of breast cancer, antagonism between, biochemical basis 277

DANDONA P see MIKHAILIDIS DP et al.

DAVENPORT K see PRICE S et al.

DAVIES JA see THURNHAM DI et al.

DAVIS M see THURNHAM DI et al.
DAWSON AA see WHITING PH et al.

DE LA PEÑA CA see RODRIGUEZ-SEGADE S et al.

DEL RIO R see RODRIGUEZ-SEGADE S et al.

Diabetic

nephropathy, early, screening 195

and non-diabetic subjects, measurement of plasma acetate by manual or automated technique 285

DIEJJEN-VISSER MP VAN see VAN DIEJJEN-VISSER MP Diffunisal, interference with fluorescence energy transfer immunoassay method for serum throxine: technical note 223

Digoxin, enzyme immunoassay, enhanced luminescent quantitation of horseradish peroxidase conjugates 42

DIVER MJ see JEFFCOATE SL et al.

DOBBIE JA and HOLTON JB: A modified method for the estimation of galactose-1-phosphate 325

DODDS K, LAMB P, PENTECOST B and NATTRASS M: Erythrocyte insulin receptors following myocardial infarction in non-diabetic subjects 657

DOWSETT M, MURRAY RML, PITT P and JEFFCOATE SL: Biochemical basis for the antagonism between aminoglutethimide and danazol in the endocrine treatment of breast cancer 277

Drug(s)

anti-adrenal, in vitro biopotency and site(s) of action, assessment: Ames Award winning lecture 1985 225

screening, Toxi-Lab TLC system, evaluation 76
Toxi-Lab TLC system: correspondence 496
DRYBURGH FJ see HUTCHISON AS et al.

Efficiency of laboratory testing: correspondence 699

ELDER GH see WALTERS EG et al.

ELDER J see CHAMBERS AM et al.

Electrolytes, serum concentrations, comparison of blood collected by evacuated tubes or syringes: technical note 492

Enzyme

activity assays, serum, external quality assessment, effect of calibration on inter-laboratory concordance 577

immunoassay, sandwich, improved, for insulin in human serum with less serum interference 54 linked immunosorbent assay and radioimmunoassay compared, for serum alpha-fetoprotein determination in screening for fetal neural tube defects 334

Enzymology, clinical, reference materials, work of Community Bureau of Reference of the European Community: editorial 361

Enzymometric assay, for creatine-kinase-MB isoenzyme, clinical and analytical validation 463

Erythrocyte

acetylcholinesterase activity, effect of ethanol 458 insulin receptors, following myocardial infarction, non-diabetic subjects 657

transketolase activity, fluorimetric method for measurement 180

Ethanol, effect on erythrocyte acetylcholinesterase activity 458

Familial dysalbuminaemic hyperthyroxinaemia (FDH), thyroid function tests 59

FARID YYZ see STEWART MJ et al.

FERNS GAA, ROBINSON D, STOCKS J, BEVAN E, WILLIAMS P and GALTON DJ: HDL-cholesterol sub-fractions in healthy males: relation to serum trigly-ceride levels and age 504

Ferritin 2-site immunoradiometric assay results, changes in sample isoferritin composition as possible cause of dilutional discrepancies 172

FISH RG see SHELLEY MD and FISH RG

Flameless atomic absorption spectroscopy to determine aluminium in human tissues 97 for determination of cobalt in urine 346

Fluorescence energy transfer immunoassay for serum thyroxine, interference by Diflunisal: technical note 223

Fluorimetric method for erythrocyte transketolase activity measurement 180

Fluoroimmunoassay

polarisation, single-reagent, for cotinine (a nicotine metabolite) in urine 596

single-reagent polarisation, for cocaine metabolite, benzoylecgonine, urine 37

FLYNN FV see HEYS AD et al.

FOO AY and ROSALKI SB: Measurement of plasma amylase activity: review article 624

FRANKS S see JEFFCOATE SL et al.

FRASER CG: Analytical goals for glucose analyses: review article 379

Desirable performance characteristics for cholesterol assays: correspondence 357

FROST J see LAMBERT A et al.

Fructosamine see glycosylated serum proteins

FRY DE, IQBAL J and CHRISTOFIDES JA: Mobile phase optimisation in the separation of antiepileptic drugs by high-performance liquid chromatography 559 FULCHER LM see HEYS AD et al.

Fused silica capillary gas chromatography, for determination of urinary 3-methoxy-4-hydroxymandelic and 3-methocy-4-hydroxyphenylacetic acids: technical note 351

FYFFE JA see BURNETT D et al.

Galactose-1-phosphate, modified method for estimation 325

GALTON DJ see FERNS GAA et al.

GARDENER L see ROLLS S et al.

GIDLOW DA, CHURCH JF and CLAYTON BE: Seasonal variations in haematological and biochemical parameters 310

Glucose

serum assay, hexokinase method, using external quality assessment data 92

analyses, analytical goals: review article 379 Glycerol, serum, measurement, simple method 490 Glycosylated

plasma protein measurement, semi-automated method 198

serum proteins, in normal pregnancy 661 see also Haemoglobin, glycosylated

Glycosylation, excess, prevention, filter paper blood spots taken for glycosylated haemoglobin measurement: short report 608 GOLDIE DJ, McCONNELL AA and COOKE PR: The use of heat-treated plasma for biochemical analysis: correspondence 700

GOSLING P: Analytical reviews in clinical biochemistry: calcium measurement: review article 146 and SUTCLIFFE AJ: Proteinuria following trauma 681

GOWLAND E see KANE JW and GOWLAND E

GRAY OP see WALTERS EG et al.

GRAY SJ see SAVORY DJ and GRAY SJ

GREEN A and PENNOCK C: Interpretation of sweat sodium and chloride concentrations: correspondence reply 109

see also mann sw and green a

GRIFFITHS PD: CK-MB: a valuable test? review article 238

GRUNDY EN and SMITH AM: Preparation of (T3+T4)free pooled plasma: technical note 494

GUNN IT, LITTLE AJ and PAYNE RB: Effects of workload and analysis time on the cost of out-of-hours investigations 501

HABIBZADEH N see SCHORAH CJ et al.

HABOUBI NA and THURNHAM DI: Effects of ethanol on erythrocyte acetylcholinesterase activity 458 Haematological and biochemical parameters, seasonal variations 310

Haemocytometry, basic principles and problems: review article 390

Haemoglobin, glycosylated, by affinity chromatography, diabetic and non-diabetic children 425 comparison of five different methods, including measurement on capillary blood samples 85 in normal pregnancy 661

Hair, usefulness of measurements of trace elements: review article 364

HAMMOND PM see PRICE CP et al.

HANCOCK M see SCHORAH CJ et al.

HAND CW, BALDWIN D, MOORE RA, ALLEN MC and MCQUAY HJ: Radioimmunoassay of buprenorphine with iodine label: analysis of buprenorphine and metabolites in human plasma 47

HANID TK see VAN HEYNINGEN C et al.

HANNON S see SEQUEIRA SJ et al.

HANSEL MC, ROWELL FJ, LANDON J and SIDKI AM: Single-reagent polarisation fluoroimmunoassay for cotinine (a nicotine metabolite) in urine 596

HANSEN-NORD G and ØDUM L: Proteinase inhibitors in human cerebrospinal fluid. Demonstration of a previously unrecognised inhibitor 104

HARROP JS see INGLE AR et al.

HARTLEY R see PICKARD CE et al.

HASHIDA S see RUAN K-H et al.

HAYASHI C see BANDO K et al.

Heat treatment of plasma, and safe handling of AIDS samples, effect of biochemical values 102

HEFFERNAN A see SEQUEIRA SJ et al.

HENDERSON MJ, LITTLEWOOD JM and MILLER M: Interpretation of sweat sodium and chloride concentrations: correspondence 109

HENFREY RD see BURNETT D et al.

HENRY P see WALTERS EG et al.

Heparin interference in plasma sodium measurement by ion selective electrode: technical note 355 Hexokinase method, for serum glucose assay, using external quality assessment data 92

HEYNINGEN C VAN SEE VAN HEYNINGEN C

HEYS AD, NORDEN AGW, FULCHER LM and FLYNN FV: Bence Jones protein detection: a rapid immunoblotting technique for routine use on unconcentrated urine 571

High density lipoprotein-cholesterol subfractions, healthy males, relation to serum triglyceride levels and age 504

High performance liquid chromatography

for determination of chlorpromazine in serum 340 4-hydroxy-3-methoxymandelic acid urinary assay, with electro-chemical detection using bondedphase silica sorbents for rapid, simple and selective extraction 447

in measurement of tricyclic antidepressant drugs 552

mobile phase optimisation in separation of antiepileptic drugs 559

rapid method, caffeine and theophylline plasma levels 440

HILTON PJ see BARTON IK et al.

Hirsutism, and salivary androgens, usefulness 590 HOCKADAY TDR see SMITH RF et al.

HOLDER R see BROUGHTON PMG et al.

HOLLY JMP and PATEL N: The assay of 4-hydroxy-3-methoxymandelic acid in urine by HPLC with electrochemical detection using bonded-phase silica sorbents for rapid, simple and selective extraction 447

HOLMAN RR see MOORE JC et al.

HOLTON JB see DOBBIE JA and HOLTON JB

Homogentisic acid, in examination of urine from alkaptonurics, artifacts produced: technical note 354

HOPKINSON I see VAN HEYNINGEN C et al.

Horseradish peroxidase conjugates, enzyme immunoassay for digoxin, enhanced luminescent quantitation 42

HOUSER MT: The effects of age and urine concentration on lysozyme and N-acetyl-β-D-glucosaminidase (NAG) content in urine 297

The effect of hydropenia and oral water loading on renal lysozyme handling and N-acetyl-β-Dglucosaminidase excretion in man 453

HOUX PCW see THOMAS CMG et al.

HOWSE CG see BLAKESLEY JD et al.

HUISMAN JW: Interference by Diflunisal with the FETI method for serum thyroxine: technical note 223

Human chorionic gonadotrophin, urinary tests, in early pregnancy diagnosis, comparison of analytical characteristics 216

HUMPHREYS S see SMITH RF et al.

HUTCHISON AS, DRYBURGH FJ and RALSTON SH: Sampling errors in pH and blood gas analysis—an evaluation of three new arterial blood samplers 379

Hydropenia and oral water loading, effect on renal lysozyme handling and N-acetyl-β-D-glucosaminidase excretion, man 453

4-Hydroxy-3-methoxymandelic acid urinary assay, by HPLC with electrochemical detection using bonded-phase silica sorbents for rapid, simple and selective extraction 447 17α-Hydroxyprogesterone bloodspot levels, term and pre-term neonates, interpretation 546

Hyperthyroxinaemia, familial dysalbuminaemic, thyroid function tests 59

Hypokalaemia of acute myocardial infarction 204: correspondence 700

Hypothyroidism, and reduced serum carnosinase activity 190

Hypoxanthine-guanine phosphoribosyltransferase deficiency, simple screening method using dried blood spots on filter paper 529

ICHIHARA K see BANDO K et al.

ICHIOKA T see RUAN K-H et al.

Immunoradiometric assay

for detection of ovarian tumour marker, CA125, in serum, evaluation 292

results, ferritin 2-site, changes in sample isoferritin composition as possible cause of dilutional discrepancies 172

Immunoturbidimetry, for measurement of serum α<sub>1</sub>antichymotrypsin 206

INGLE AR, BAILEY JE, MATTHEWS HL and HARROP JS: Performance and clinical utility of a commercially available 'C-terminal' PTH assay 434

Insulin

erythrocyte, receptors, following myocardial infarction, non-diabetic subjects 657

in human serum with less serum interference, improved sandwich enzyme immunoassay 54

like growth factor I, measurement, clinical applications and significance 413

Interlaboratory concordance, effect of calibration, and external quality assessment of serum enzyme activity assays 577

Iodine label, and sensitive and specific bromocriptine radioimmunoassay, measurement of bromocriptine in human plasma 686

IQBAL J see FRY DE et al.

IRELAND A see WHITING PH et al.

Iron status, diagnostic methods: review article 168 ISHIKAWA E see RUAN K-H et al.

ISMAIL AAA, ASTLEY P, BURR WA, CAWOOD M, SHORT F, WAKELIN K and WHEELER MJ: The role of testosterone measurement in the investigation of androgen disorders: review article 113

CAWOOD M, SHORT F, WAKELIN K and WHEELER M: Testosterone assays: guidelines for the provision of a clinical biochemistry service: review article 135

Isoferritin, sample, composition, changes, as possible cause of dilutional discrepancies in ferritin 2-site immunoradiometric assay results 172

Isotope dilution analysis, using chromatographic separation of isotopic forms of compound to be measured 251

JACK L, CUNNINGHAM C, WATSON ID and STEWART MI: Micro-scale ultracentrifugation as an alternative to ultrafiltration for the determination of the unbound fraction of phenytoin in human serum 603

JACOBS A see CAVILL 1 et al.

JARVIE DR and SIMPSON D: Drug screening: evaluation of the Toxi-Lab TLC system 76: correspondence

JEFFCOATE SL, BACON RRA, BEASTALL GH, DIVER MJ, FRANKS S and SETH J: Assays for prolactin: guidelines for the provision of a clinical biochemistry service 638

see also DOWSETT M et al.

JELFS R see MOORE JC et al.

JENNINGS RD see BURNETT D et al.

WHEFIER MI et al

KANE JW and GOWLAND E: A method for the identification of apolipoprotein E isoforms employing chemical precipitation and flat bed isoelectric focusing in agarose 509

KING DJ see WHITTING PH et al.

KING REGJ see SCHORAH CJ et al.

KODA K see BANDO K et al.

KOEDAM JC and BOERMA GJM: Reference materials for cholesterol assays: correspondence 699

KOEVOET AL see LOMBARTS AJPF et al. KOSKA L: Artifacts produced by homogentisic acid in the examination of urine from alkaptonuries: technical note 354

KRICKA LJ see COYLE PM et al.

KRSKA J, ADDISON GM and SONI SD: Determination of chlorpromazine in serum by radioreceptor assay and HPLC 340

LA PEÑA CA DE see DE LA PEÑA CA

Laboratory investigations, out-of-hours, new strategy: personal view 497

effects on costs 501

LAMB P see DODDS K et al.

LAMBERT A, FROST J, MITCHELL R and ROBERTSON WR: On the assessment of the in vitro biopotency and site(s) of action of drugs affecting adrenal steroidogenesis: Ames Award, winning lecture 1985 225

LANDON J see COLBERT DL et al. HANSEL MC et al.

LAWRENCE C see BECKETT G et al. Lead poisoning in lead exposure, Δ-aminolaevulinic acid dehydratase as index of presence and severity

LEGG EF: Predictive values and efficiency of laboratory testing: correspondence 699

LEUNSE B see LOMBARTS AJPF et al.

WULKAN RW and LEUNSE B

LELOUX AM see THOMAS CMG et al.

LESTER E: A new strategy for out-of-hours laboratory investigations: personal view 497 see also ROLLS S et al.

Leukaemia, and N-acetyl-β-D-glucosaminidase enzymuria, effect of treatment 676

LIGHT PK see COLLINSON PO et al.

Lipids, use to express serum tocopherol:lipid ratios for measurement of vitamin E status 514

LITTLE AJ see GUNN IR et al.

LITTLEWOOD JM see HENDERSON MJ et al.

Liver disease, plasma bile salt levels: correspondence

LOLIN Y and o'GORMAN P: A-Aminolaevulinic acid dehydrates as an index of the presence and severity of lead poisoning in acute and chronic lead exposure 521

LOMBARTS AJPF, KOEVOET AL and LEUNSE B: Basic principles and problems of haemocytometry: review article 390

Long-term trends, biochemical data obtained from two population surveys 474

LOUGHLIN T see SEQUEIRA SJ et al.

LUCOCK MD see PICKARD CE et al.

LUZZANA M SEE BARENGHI L et al.

Lysozyme and N-acetyl-β-D-glucosaminidase (NAG) content, urine, effects of age and urine concentration 297

MCCONNELL AA see GOLDIE DJ et al.

MCKENNA TJ see SEQUEIRA SJ et al.

MCQUAY HJ see HAND CW et al.

Magnesium levels, and premenstrual syndrome 667 MANN sw and GREEN A: Interference from heparin in commercial heparinised tubes in the measurement of plasma sodium by ion selective electrode: a note of caution: technical note 355

MANSELL MA see BARTON IK et al.

MARKS V see TEALE JD and MARKS V

MARSHALL SM and ALBERTI KGMM: Predictive values and efficiency of laboratory testing: correspondence reply 699

Screening for early diabetic nephropathy 195 MATTHEWS HL see INGLE AR et al.

Metadrenaline assay, urinary, simplification 487 Methotrexate

deglutamated metabolites, source, high dose infusions 210

interference with determination of protein content, cerebrospinal fluid: technical note 612

3-Methoxy-4-hydroxymandelic acid, urinary, determination by fused silica capillary gas chromatography: technical note 351

3-Methoxy-4-hydroxyphenylacetic acid, urinary, determination by fused silica capillary gas chromatography: technical note 351

MIKHAILIDIS DP, DANDONA P and BARON DN: The hypokalaemia of acute myocardial infarction: correspondence 700

MILLER M see HENDERSON MJ et al.

MITCHELL R see LAMBERT A et al.

MIYAI K see BANDO K et al.

мічамото т see nishida v and мічамото т

Mobile phase optimisation, in separation of antiepileptic drugs, by high-performance liquid chromatography 559

MOORE JC, BOWN E, OUTLAW MC, JELFS R, HOLMAN RR and TURNER RD: Glycosylated haemoglobin: comparison of five different methods, including measurement on capillary blood samples 85

OUTLAW MC, BARNES AJ and TURNER RC: Glycosylated plasma protein measurement by a semiautomated method 198

MOORE RA see HAND CW et al.

MOSCA A see BARENGHI L et al.

MOSS DW see BULLOCK DG et al.

COLINET E et al.

MURPHY JF see WALTERS EG et al.

muria, effect of treatment 676

MURRAY RML see DOWSETT M et al. Myelomatosis, and N-acetyl-β-D-glucosaminidase enzyMyocardial infarction

erythrocyte insulin receptors following, nondiabetic subjects 657

and hypokalaemia 204: correspondence 700

NAKAJIMA K see RUAN K-H et al. NATTRASS M see DODDS K et al.

Nephropathy, diabetic, early, screening 195 Neural tube defects, fetal, screening, alpha-fetoprote

Neural tube defects, fetal, screening, alpha-fetoprotein determination, enzyme-linked immunosorbent assay and radioimmunoassay compared 334 NICOL AD see ANDERSON SH and NICOL AD

NICOL AD see ANDERSON SH and NICOL AD
NISBET JA: Comparison of three parathyroid hormone
assays 429

owen JA and WARD GE: A comparison of five curvefitting procedures in radioimmunoassay 694

NISHIDA Y and MIYAMOTO T: Simple screening methods for hypoxanthine-guanine phosphoribosyltransferase and adenine phosphoribosyltransferase deficiencies using dried blood spots on filter paper 529

NORD G HANSEN- see HANSEN-NORD G NORDEN AGW see HEYS AD et al.

NOVOA D see RODRIGUEZ-SEGADE S et al.

O'DONNELL J See PLEDGER DR and O'DONNELL J
ØDUM L See HANSEN-NORD G and ØDUM L
O'GORMAN P See LOLIN Y and O'GORMAN P
O'REILLY DSJ See CHAMBERS AM et al.
OSSENKOPPELE GJ See VERWEIJ WM et al.
Out-of-hours investigations

effects of workload and analysis time on cost new strategy: personal view 497

OUTLAW MC see MOORE JC et al.

Ovarian tumour marker, CA125, in serum, evaluation of immunoradiometric assay for detection 292

Paracetamol assay, enzymic, specificity: correspondence 358
Parathyroid

assay, 'C-terminal', performance and clinical utility 434

hormone assays, three compared 429
PATEL N see HOLLY JMP and PATEL N

OWEN JA see NISBET JA et al.

PAYNE RB: Creatinine clearance: a redundant clinical investigation: review article 243

see also GUNN IR et al.

PAZ M see RODRIGUEZ-SEGADE S et al.

PEARCE CJ and BYFIELD PGH: Free thyroid hormone assays and thyroid function: review article 230

PEÑA CA DE LA See DE LA PEÑA CA PEET J SPENCER- See SPENCER-PEET J

PENNOCK C see GREEN A and PENNOCK C

PENTECOST B see DODDS K et al.

PETERS M see CLARK I et al.

PETRANYI G, PETRANYI M, SHARPE GR and ALBERTI KGMM: Prevention of excess glycosylation of haemoglobin in filter paper blood spots taken for glycosylated haemoglobin measurement: short report 608

PETRANYI M see PETRANYI G et al.

pH and blood gas

analysers, regional quality assessment 26 analysis, sampling errors, evaluation of three new arterial blood samplers 329 Phadebas B2 micro test: correspondence 110
Phenytoin, unbound fraction determination, micro-

scale ultracentrifugation as alternative to ultrasound 603

PICKARD CE, STEWART AD, HARTLEY R and LUCOCK MD: A rapid HPLC method for monitoring plasma levels of caffeine and theophylline using solid phase extraction columns 440

PITT P see DOWSETT M et al.

Plasma, heat-treated, use for biochemical analysis: correspondence 700

PLATENKAMP AJ See BOUMAN AA et al.

PLEDGER DR and o'DONNELL J: Drug screening and the Toxi-Lab TLC system: correspondence 496 Population surveys, long-term trends in biochemical data 474

POSMA FD see BOUMAN AA et al.

PRATT JJ: Isotope dilution analysis using chromatographic separation of isotopic forms of the compound to be measured 251 Pregnancy

diagnosis, human chorionic gonadotrophin urinary levels, comparison of analytical characteristics 216

normal, glycosylated serum proteins and glycosylated haemoglobin 661

Premenstrual syndrome, and magnesium levels 667
PRICE CP, CAMPBELL RS, HAMMOND PM, SCAWEN MD
and ATKINSON T: Specificity of enzymic paracetamol
assay: correspondence 358

see also CALVIN J and PRICE CP YOUENS JEB et al.

PRICE S, DAVENPORT K and BERG JD: Determination of urinary 3-methoxy-4-hydroxymandelic and 3-methoxy-4-hydroxyphenylacetic acids by fused silica capillary gas chromatography: technical note 351

Prolactin, assays, guidelines for provision of clinical biochemistry service 638

Protein content, cerebrospinal fluid, determination, interference of methotrexate: technical note 612 Proteinase inhibitors in human cerebrospinal fluid, previously unrecognised 104

Proteinuria, following trauma 681

Pyridoxal 5'-phosphate, direct assay using pig heart apo-aspartate transaminase 317

Radioimmunoassay

comparison of five curve-fitting procedures 694 and enzyme-linked immunosorbent assay compared, for serum alpha-fetoprotein determination in screening for fetal neural tube defects 334

Radioreceptor assay, for determination of chlorpromazine in serum 340

RALSTON SH see HUTCHISON AS et~al. RATCLIFFE MA see WHITING PH et~al.

RATCLIFFE WA see STEWART MF et al.
REID W see RODGER JC et al.

Renal

insufficiency, chronic, dialysed and undialysed, carnitine concentrations 671

lysozyme handling, effect of hydropenia and oral water loading, man 453

Renin-angiotensin-aldosterone axis as function of sex and age, aldosterone radioimmunoassay evaluation

Rickets, and plasma alkaline phosphatase activity, pre-term infants 652

RINSLER MG see ASHBY JP et al. RIO R DEL see DEL RIO R et al.

RIPAMONTI M see BARENGHI L et al.

ROBERTS I and SMITH IM: A simple method for the measurement of glycerol in serum 490 see also STEWART MF et al.

ROBERTSON WR see LAMBERT A et al.

ROBINSON D see FERNS GAA et al.

ROCKS BF, SHERWOOD RA and COOK JGH: Whole blood osmolality 106 see also SHERWOOD RA et al.

RODGER JC. SIMPSON E, ROLTON HA and REID W: The hypokalaemia of acute myocardial infarction 204: correspondence reply 700

RODRIGUEZ-SEGADE S, DE LA PEÑA CA, PAZ M, NOVOA D. ROMERO R, ARCOCHA V and DEL RIO R: Carnitine concentrations in dialysed and undialysed patients with chronic renal insufficiency 671

ROLLS S, BALDWIN I, GARDENER L and LESTER E: A comparison of serum electrolyte concentrations in blood collected by evacuated tubes or syringes: technical note 492

ROLTON HA see RODGER JC et al.

ROMERO R see RODRIGUEZ-SEGADE S et al.

ROSALKI SB see FOO AY and ROSALKI SB

ROWELL FJ see HANSEL MC et al.

RUAN K-H, HASHIDA S, YOSHITAKE S, ISHIKAWA E, WAKISAKA O, YAMAMOTO Y, ICHIOKA T and NAKAJIMA K: A more sensitive and less timeconsuming sandwich enzyme immunoassay for insulin in human serum with less serum interference 54

RUMPFF J see RYALL RG and RUMPFF J

RYALL RG and RUMPFF J: Changes in sample isoferritin composition as a possible cause of dilutional discrepancies in ferritin 2-site immunoradiometric assay results 172

SALEMANS T see VAN DIEIJEN-VISSER MP et al. Salivary androgens in hirsutism, usefulness 590 Sandwich enzyme immunoassay, improved, for insulin in human serum with less serum interference 54 SAVORY DI and GRAY SI: The use of heat-treated

plasma for biochemical analysis: correspondence 700

SAXTON RS SEE SHERWOOD RA et al.

SCAWEN MD see PRICE CP et al.

SCHELLEKENS LA see VAN DIEIJEN-VISSER MP et al. SCHORAH CJ, HABIBZADEH N, HANCOCK M and KING RFGJ: Changes in plasma and buffy layer vitamin C concentrations following major surgery: what do they reflect? 566

SCRIVEN A see BECKETT G et al.

Seasonal variations, in haematological and biochemical parameters 310

SEGADE S RODRIGUEZ- see RODRIGUEZ-SEGADE S SEGERS MFG see THOMAS CMG et al.

SEQUEIRA SJ, LOUGHLIN T, CUNNINGHAM S, CULLITON MT, HANNON S, HEFFERNAN A and MCKENNA TJ: Evaluation of an aldosterone radioimmunoassay: the renin-angiotensin-aldosterone axis as a function of sex and age 65

SETH J see JEFFCOATE SL et al.

SHAIKH M see WHEELER MJ et al.

SHARPE GR see PETRANYI G et al.

SHELLEY MD and FISH RG: Evaluation of an immunoradiometric assay for the detection of an ovarian tumour marker, CA125, in serum 292

SHERWOOD RA, ROCKS BF, STEWART A and SAXTON RS: Magnesium and the premenstrual syndrome 667 see also ROCKS BF et al.

SHIMOTSUJI T see BANDO K et al.

SHORT F see ISMAIL AAA et al.

SIDKI AM see COLBERT DL et al.

HANSEL MC et al. SIEST G see COLINET E et al.

SIMPSON D see JARVIE DR and SIMPSON D

SIMPSON E see RODGER JC et al.

SINGKAMANI R, WORTHINGTON DJ, THURNHAM DI and WHITEHEAD TP: A direct assay for pyridoxal 5'phosphate using pig heart apo-aspartate transaminase 317

Single reagent polarisation fluoroimmunoassay for cocaine metabolite, benzoylecgonine, urine 37

SITUNAYAKE RD see THURNHAM DI et al.

SKELLERN GG see STEWART MJ et al. SMITH AM see GRUNDY EN and SMITH AM

SMITH DS see COLBERT DL et al.

SMITH IM see ROBERTS I and SMITH IM

SMITH RF, HUMPHREYS S and HOCKADAY TDR: The measurement of plasma acetate by a manual or automated technique in diabetic and non-diabetic subjects 285

Sodium, plasma, measurement by ion selective electrode, heparin interference: technical note 355

SONI SD see KRSKA J et al.

SPENCER K: Analytical reviews in clinical biochemistry: the estimation of creatinine: review article 1

SPENCER-PEET J see BLAKESLEY JD et al. STEIN PE see COLLINSON PO et al.

STEWART A see SHERWOOD RA et al.

STEWART AD see PICKARD CE et al.

STEWART MF, RATCLIFFE WA and ROBERTS 1: Thyroid function tests in patients with familial dysalbuminaemic hyperthyroxinaemia (FDH) 59

STEWART MJ, WATSON ID, FARID YYZ and SKELLERN GG: An investigation into the source of the deglutamated metabolites of methotrexate in patients treated with high dose infusions 210

see also JACK L et al.

STOCKS J see FERNS GAA et al.

STRANGE R see BECKETT G et al.

SUTCLIFFE AJ see GOSLING P and SUTCLIFFE AJ

Sweat sodium and chloride concentrations, interpretation: correspondence 109

TAYLOR A: Usefulness of measurements of trace elements in hair: review article 364

TEALE JD and MARKS v: The measurement of insulinlike growth factor I: clinical applications and significance 413

Testosterone

assays, guidelines for provision of clinical biochemistry service: review article 135

in investigation of androgen disorders: review article 113

in serum and plasma, evaluation of 13 commercial kits 303

Theophylline plasma levels, monitoring by rapid HPLC 440

THOMAS CMG, SEGERS MFG, LELOUX AM and HOUX PCW: Comparison of the analytical characteristics of ten urinary hCG tests for early pregnancy diagnosis 216

THOMPSON SG see BARLOW RD et al.

THORPE GHG see COYLE PM et al.

THURNHAM DI, DAVIES JA, CRUMP BJ, SITUNAYAKE RD and DAVIS M: The use of different lipids to express serum tocopherol: lipid ratios for the measurement of vitamin E status 514

see also haboubi na and thurnham di Singkamani r et al.

Thyroid

function, and free thyroid hormone assays: review article 230

tests, familial dysalbuminaemic hyperthyroxinaemia (FDH) 59

hormone, free, assays, and thyroid function: review article 230

Thyroxine, fluorescence energy transfer immunoassay, interference by Diflunisal: technical note 223

Toxi-Lab TLC system, drug screening, evaluation 76: correspondence 496

TOYOSHIMA H see BANDO K et al.

Trace elements in hair, usefulness of measurements: review article 364

Transketolase activity, erythrocyte, fluorimetric method for measurement 180

Trauma, proteinuria following 681

Tricyclic antidepressant drugs, measurement, improved method 552

Triiodothyronine+ thyroxine-free pooled plasma, preparation: technical note 494

TURNER RC see MOORE JC et al.

Urinary metadrenaline assay, simplification 487

Values, predictive, and efficiency, laboratory testing: correspondence 699

VAN DIEHEN-VISSER MP, SALEMANS T, VAN WERSCH JWJ, SCHELLEKENS LA and BROMBACHER PJ: Glycosylated serum proteins and glycosylated haemoglobin in normal pregnancy 661

VAN HEYNINGEN C, HANID TK and HOPKINSON I: Glycosylated haemoglobin by affinity chromatography in diabetic and non-diabetic children 425

VAN WERSCH JWJ see VAN DIEIJEN-VISSER MP et al. VERWEIJ WM, OSSENKOPPELE GJ and WIERMANS P: Interference of methotrexate with the determination of the protein content of cerebrospinal fluid: technical note 612

VISSER MP VAN DIEIJEN- see VAN DIEIJEN-VISSER MP Vitamin C concentrations, changes in plasma and buffy layer, following major surgery 566

Vitamin E status, measurement, use of lipids to express serum tocopherol:lipid ratios 514

VOLLER A see BARLOW RD et al.

WAKELIN K see ISMAIL AAA et al. WANG C et al.

WAKISAKA O see RUAN K-H et al. WALD NJ see BARLOW RD et al.

WALTERS EG, MURPHY JF, HENRY P, GRAY OP and ELDER GH: Plasma alkaline phosphatase activity and its relation to rickets in pre-term infants 652

WANG C, WAKELIN K, WHITE J and WOOD PJ: Salivary androgens in hirsutism: are they of use in routine evaluation? 590

WARD GE see NISBET JA et al.

Water loading, oral, effect on renal lysozome handling and N-acetyl-β-D-glucosaminidase excretion, man 453

WATSON ID see JACK L et al.

STEWART MJ et al.
WEINKOVE C see YATES P and WEINKOVE C

WERSCH JWJ VAN SEE VAN WERSCH JWJ

WESTWOOD A, BULLOCK DG and WHITEHEAD TP: An examination of the hexokinase method for serum glucose assay using external quality assessment data 92

WHEELER MJ, SHAIKH M and JENNINGS RD: An evaluation of 13 commercial kits for the measurement of testosterone in serum and plasma 303 see also ISMAIL AAA et al.

WHITE I see WANG C et al.

WHITEHEAD TP see BULLOCK DG et al.

COYLE PM et al.
SINGKAMANI R et al.
WESTWOOD A et al.

WHITING PH, KING DJ, IRELAND A, RATCLIFFE MA and DAWSON AA: N-Acetyl-β-D-glucosaminidase enzymuria in leukaemia and myelomatosis: effect of treatment in acute myeloblastic leukaemia and myelomatosis in adults 676

WIJERMANS P see VERWEIJ WM et al.

WILLIAMS P see FERNS GAA et al.

WOOD DCF see BLAKESLEY JD et al.

WOOD PJ see BERRY J et al.

WANG C et al.

WOODS TF see BURNETT D et al.

Workload and analysis time, effect on cost of out-ofhours investigations 501

WORTHINGTON DJ see SINGKAMANI R et al.

WORWOOD M see CAVILL I et al.

WRIGHT DJ see ASHBY JP et al.

WULKAN RW and LEUNSE B: Alkaline phosphatase and cholestasis: review article 405

YAMAMOTO Y see RUAN K-H et al.

YATES P and WEINKOVE C: Simplification of a urinary metadrenaline assay 487

YOSHITAKE S see RUAN K-H et al.

YOUENS JEB, CALVIN J and PRICE CP: Clinical and analytical validation of an enzymometric assay for creatinine kinase-MB isoenzyme 463

